### SAFETY DATA SHEET

### Section 1. Chemical Product & Company Identification

# TITAN INDUSTRIAL CHEMICALS, LLC

P.O.BOX 635 GROVER, MO. 63040 636-273-9033

Product Name: SLUDGE B-GONE

Product Use: SEWER CLEANER

Product Code: 47200

EMERGENCY NUMBER: INFOTRAC 1-800-535-5053

## Section 2. Hazards Identification

**Physical Hazards: Not Classified** 

Health Hazards: Skin corrosion/irritation Category 2

Causes serious eye irritation Category 2A

**Environmental Hazards: Not classified** 

OSHA Defined Hazards: Alkaline material. Irritating to skin and eyes.

**Label Elements:** 



Signal Word: WARNING

Hazard Statement: Causes skin irritation and serious eye irritation.

Precautionary Statements (Prevention): Wash thoroughly after handling. Wear protective gloves/protective eyewear/face protection.

Precautionary Statements (Response): If on skin: Wash skin with plenty of water. If skin irritation occurs: get medical attention/advice. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: get medical attention/advice.

Precautionary Statements (Storage): Store in original container, in upright position, tightly closed.

Precautionary Statements (Disposal): Follow local/regional/national/international regulations.

Hazards Not Otherwise Classified: None known.

## Section 3. Composition/Information on Ingredients

#### Name of Hazardous Ingredients:

CAS Number

% by Weight

Silicic acid, sodium salt

1344-09-8

5-10

Due to Trade Secret, the exact percentage of composition has been stated as a range. The exact identities of other ingredients has also been withheld as Trade Secret. However, they do not contribute to the identified hazards of the product and will be divulged to proper authorities in an emergency.

### Section 4. First Aid Measures

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Skin Contact: Wash with plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion: If swallowed: call a poison control center/doctor if you feel unwell. Rinse mouth with water.

Most Important Symptoms/Effects, Acute & Delayed: Eye itching, stinging, redness, tearing. Skin redness, itching.

Indication of Immediate Medical Attention & Special Treatment Needed: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide.

Specific Hazards Arising From the Chemical: During fire, gases hazardous to health may be formed.

Special Protective Equipment and Precautions for Firefighters: Self contained breathing apparatus and full protective clothing.

Fire Fighting Equipment/Instructions: Move containers from area if you can do so without risk.

Specific Methods: Use standard firefighting procedures and consider the hazards of other involved materials.

General Fire Hazards: No unusual fire or explosion hazards noted.

#### Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment & Emergency Procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill. Keep out of low areas. Wear appropriate protective equipment and clothing during clean up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods & Materials for Containment & Cleaning Up: This product is miscible in water. Large spills: stop the flow of material, if this is without risk. Dike the spilled material, where possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small spills: wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spilled material to original container.

Environmental Precautions: Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## Section 7. Handling and Storage

Precautions for Safe Handling: Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid releases to the environment. Observe good industrial hygiene practices.

Conditions for Safe Storage, including any Incompatibilities: Store in original tightly closed container. Store away from incompatible materials (see sec. 10).

# Section 8. Exposure Controls/Personal Protection

Occupational Exposure Guidelines: Silicic acid, sodium salt, no exposure limit assigned. Exposure limit of 2mg/m3 915 minute TWA) is recommended by analogy with sodium hydroxide.

<u>Appropriate Engineering Controls:</u> Good general ventilation (generally 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

### <u>Individual Protection Measures, Personal Protective Equipment:</u>

**Eye/Face: Wear eye protection and face protection.** 

Skin/Body: Wear chemical resistant gloves.

Respiratory: No special protective equipment is needed under normal use conditions.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely ash work clothes and

protective equipment to remove contaminants.

### Section 9. Physical & Chemical Properties

**Appearance: Clear to cloudy** 

Physical State : Liquid Color: Cloudy pH: 10.5-11.5 Odor: No odor

Boiling Point: Unknown Odor Threshold: Not available

Vapor Pressure: Unknown Specific Gravity: 1.075
Melting Point/Freeze Point: Unknown Flash Point: >200 F.

Evaporation Rate: Not available Flammability (solid, gas): Non-flammable Upper Flammability Limit: Not available Lower Flammability Limit: Not available

Explosive Properties: Not available Vapor Density: Not available

Water Solubility: Soluble Auto-Ignition Temperature: Not available

Decomposition Temperature: Not available Viscosity: Water-like

Oxidizing Properties: Not available

Other Solubilities: Not available

## Section 10. Stability & Reactivity

Reactivity: May react with oxidizing agents, aluminum, zinc, tin and their alloys.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur.

Conditions to Avoid: Do not mix with other chemicals. Avoid contact with incompatible materials.

Incompatibility: Oxidizing agents, acids, aluminum, zinc tin and their alloys.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Irritating and/or noxious fumes and gases may be emitted upon decomposition. Oxides of sodium.

## Section 11. Toxicological Information

#### INFORMATION ON LIKELY ROUTES OF EXPOSURE:

Inhalation: May cause irritation of the respiratory system. Prolonged inhalation may be harmful.

Ingestion: Causes respiratory tract irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause serious eye irritation.

**COMPONENT INFORMATION:** 

<u>Chemical Name</u> <u>Oral LD50 rat</u> <u>Dermal LD50 rat</u> <u>Inhalation LC50 rat</u>

Silicic acid, sodium salt 3400 mg/kg >5000mg/kg >2.06g/m3

#### INFORMATION ON PHYSICAL, CHEMICAL, TOXICOLOGICAL EFFECTS:

Symptoms: May cause skin irritation. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory tract irritation if swallowed.

DELAYED & IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT TERM EXPOSURE & LONG

TERM EXPOSURE:

Carcinogenicity: Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA

Respiratory Sensitization: Not available.

Skin Sensitization: Not expected to cause skin sensitization.

Germ Cell Mutagenicity: No data available to indicate product is mutagenic or genotoxic.

Reproductive Toxicity: Not expected to cause reproductive toxicity.

Specific Target Organ Toxicity, Single exposure: Not classified Specific Target Organ Toxicity, repeated exposure: Not classified.

Aspiration Hazard: Not available. Chronic Effects: None noted.

# Section 12. Ecological Information

**Ecotoxicity: Not classified** 

<u>Chemical</u> <u>Algae/Aquatic Plants</u> <u>Fish</u> <u>Microorganisms</u> <u>Crustacea</u>
Silicic acid, sodium salt N/A LC50 1108mg/L N/A EC50 1700mg/L

96hr 48 hr

brachydanio rerio daphnia magna

Persistance & Degradability: Inorganic.

Bioaccumulation: Inorganic. No potential for bioaccumulation.

Mobility in Soil: No data available.

Other adverse Effects: No other adverse effects expected.

### Section 13. Disposal Considerations

Disposal Instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local/regional/national/international regulations. Hazardous waste Code: Waste code should be assigned by discussion between the user, the producer and the waste disposal company.

Waste from Residues/Unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal Instructions).

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers may contain product residue, follow all label warnings even after container is emptied.

## Section 14. Transport Information

| Regulatory                           | UN     | Proper Shipping | Classes | PG* | Label |
|--------------------------------------|--------|-----------------|---------|-----|-------|
| Information                          | Number | Name            |         |     |       |
| DOT Classification:<br>Not Hazardous |        |                 |         |     |       |
|                                      |        |                 |         |     |       |
|                                      |        |                 |         |     |       |

NOTE: DOT Classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill Of Lading with your shipment.

**PG\*: Packing Group** 

## Section 15. Regulatory Information

#### **U.S. Federal Regulations:**

SARA 313 toxic chemical notification and release reporting: Not regulated.

CERCLA

Clean Water Act (CWA) 307: No. Clean Water Act (CWA) 311: No

Clean Air Act (CAA) 112 Regulated Toxic Substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

TSCA 8(a) IUR: Not regulated.

United States Inventory (TSCA 8b): Not regulated.

US State Right to Know Regulations: None known.

#### **State Regulations**

California Prop 65: No products were found in sufficient amounts to require reporting.

### Section 16. Other Information

NFPA: 1,0,0 HMIS: 1,0,0

Issue Date: 10/28/15 Revision Date: N/A Revision Note: N/A

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

\*Note: Hazard Determination System (HDS) ratings are on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDS's under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.