# SAFETY DATA SHEET

Issue Date September 2, 2015

**Revision Date** 

**1. PRODUCT AND COMPANY IDENTIFICATION** 

<u>Product identifier</u> Product Name	SUPER JENNY CLEAN		
Other means of identification			
Product #	45100		
Synonyms	None		
Details of the supplier of the safety	data sheet		
Company Name	TITAN INDUSTRIAL CHEMICALS, LLC		
······	P.O. BOX 635		
	GROVER, MO. 63040		
	636-273-9033		
Emergency telephone number Emergency Telephone	INFOTRAC 1-800-535-5053		
Emergency relephone	INFOTRAC 1-000-353-3033		
	2. HAZARDS IDENTIFICATION		
Classification			
<b>OSHA Regulatory Status</b> This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)			

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

**Emergency Overview** 

# Danger

Hazard statements

May be harmful if swallowed Causes severe skin burns and eye damage Harmful to aquatic life with long lasting effects



Appearance Clear, Yellow

Physical state Liquid

Odor Butyl

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid release to the environment

#### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

1.64529% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	1-5	*
Nonylphenol Ethoxylate	9016-45-9	1-5	*
Sodium Hydroxide	1310-73-2	1-5	*
Sodium Metasilicate	6834-92-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures	
General advice	Immediate medical attention is required.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

 
 Symptoms
 Any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### Indication of any immediate medical attention and special treatment needed

Note to physiciansProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br/>Possible perforation of stomach or esophagus should be investigated. Do not give<br/>chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood<br/>pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat<br/>symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for conta	inment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.				
Conditions for safe storage, includ	Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.				
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					

## **Control parameters**

Exposure Guidelines	Exposure guidelines not	ted for ingredient(s).		
Chemical Name	ACGIH TLV	OSHÁ PEL	NIOSH IDLH	
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>	
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	
NIOSH IDLH Immediately Dange	rous to Life or Health			
Other Information	Vacated limits revoked l 962 (11th Cir., 1992).	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering contro	ls			
Engineering Controls	Showers, Eyewash stat	Showers, Eyewash stations & Ventilation systems.		
Individual protection measures	, such as personal protectiv	e equipment		
Eye/face protection	Wear safety glasses wit exists.	Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard exists.		
Skin and body protection		Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	respiratory protection sh required for high airborn	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	eat, drink or smoke. Wa and animal feeding stuff workplace. Regular clea contact with skin, eyes o	Handle in accordance with good industrial hygiene and safety practice. When using do ne eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, dri and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avo contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Yellow Butyl No Information available
Property pH Specific Gravity	<u>Values</u> 13.0 - 13.5 1.02
Viscosity	Water Thin
Melting point/freezing point Flash point Boiling point / boiling range	No Information available No Information available
Evaporation rate	212 ° F (at 760 mm Hg) No Information available
Flammability (solid, gas)	
Flammability Limits in Air	
Upper flammability limit:	No Information available
Lower flammability limit:	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

**Remarks** • Method

# Density Lbs/Gal

VOC Content (%)

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

No data available

## Chemical stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

## Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

## Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

8.50

4.85

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Harmful by inhalation and in contact with eyes and skin.
Inhalation	Avoid breathing vapors or mists. Irritation or burning to mucous membranes. Breathing of vapors may cause dizziness and shortness of breath.
Eye contact	Avoid contact with eyes. Causes severe eye damage.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	May be harmful if swallowed. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			
Sodium Hydroxide	-	= 1350 mg/kg (Rabbit)	-
1310-73-2			
Sodium Metasilicate	= 600 mg/kg (Rat)	-	-
6834-92-0			

## Information on toxicological effects

Symptoms

No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No Information available.				
Germ cell mutagenicity		No Information available.			
Carcinogenicity				ngredient as a carcinogen.	
Chemical Name	ACGIH	IARC	NTP	OSHA	
2-butoxyethanol 111-76-2	A3	Group 3	-	-	
A3 - Animal Carcinogen	erence of Governmental In ncy for Research on Canc an carcinogen				
Reproductive toxicity	No Informati	on available.			
STOT - single exposure	No Informati	on available.			
STOT - repeated exposur	e No Informati	No Information available.			
Chronic toxicity	necrosis. Bi common. G Possible risk	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.			
Target organ effects	Blood, Centr	Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.			
Aspiration hazard	No Informati	No Information available.			
Numerical measures of toxicity - Product Information					
Unknown Acute Toxicity	1.64529% o	f the mixture consists of ing	gredient(s) of unknown to	xicity	

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

6.61529% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static 2950: 96 h	EC50 1698 - 1940: 24 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Nonylphenol Ethoxylate 9016-45-9	-	5: 96 h Fish mg/L LC50	-
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static 210: 96 h	EC50
		Brachydanio rerio mg/L LC50	

## Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient	
2-butoxyethanol	0.81	
111-76-2		

Other adverse effects

No Information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

## **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

# **15. REGULATORY INFORMATION**

#### International Inventories TSCA DSL/NDSL

Complies Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol 111-76-2	Х	X	Х
Sodium Hydroxide	Х	X	-
1310-73-2			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties Yes
<u>HMIS</u>	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection D
Issue Date       September 2, 2015         Revision Date       September 2, 2015         Revision Note       No Information available         Disclaimer       The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage transportation, disposal and release and is not to be considered a warranty or quality specification. The information with any ot materials or in any process, unless specified in the text.				use, processing, storage, tion. The information

**End of Safety Data Sheet**